



## SEQUENCE LISTING

&lt;110&gt; NAKARI-SETALA, Tiina et al.

&lt;120&gt; A METHOD FOR DECREASING THE FOAM FORMATION DURING CULTIVATION OF A MICROORGANISM

&lt;130&gt; 0365-0529P

&lt;140&gt; US 10/050,000

&lt;141&gt; 2002-05-03

&lt;160&gt; 9

&lt;170&gt; PatentIn Ver. 2.1

&lt;210&gt; 1

&lt;211&gt; 2868

&lt;212&gt; DNA

&lt;213&gt; Trichoderma reesei

&lt;220&gt;

&lt;221&gt; gene

&lt;222&gt; (1523)..(1950)

&lt;223&gt; hfb1

&lt;400&gt; 1

tttgttatggc tggatctcga aaggcccttg tcatacgccaa gcgtggctaa tatcaatga 60  
gggacaccga gttgcataatc tcctgatcat tcaaacgaca agtgtgaggt aggcaatcct 120  
cgtatccat tgctggctg aaagcttcac acgtatcgca taagcgtctc caaccagtgc 180  
ttaggtgacc cttaaggata cttagactaa gactgttata agtcagtcac tctttcactc 240  
gggcttgaa tacgatccctc aataactcccg ataacagtaa gaggatgata cagcctgcag 300  
ttggcaaattg taagcgtaat taaactcagc tgaacggccc ttgttgaag tctctctcga 360  
tcaaagcaaa gctatccaca gacaagggtt aagcaggctc actcttccta cgcccttggat 420  
atgcagcttgcgccatcg cgcatggcca atgatgcacc cttcacggcc caacggatct 480  
cccgtaaac tccccctgtaa ctggcatca ctcatctgtg atcccaacag actgagttgg 540  
gggctgcggc tggcggatgt cgagcaaaag gatcacttca agagcccaga tccggttgg 600  
ccattgccaa tggatctaga ttccggcacct tgatctcgat cactgagaca tggtagttg 660  
cccgacgc ccacaactcc ccctgtgtca ttgagttccc atatgcgtt tctcagcgtg 720  
caactctgag acggattagt cctcacgatg aaattaacctt ccagcttaag ttcgttagcct 780  
tgaatgagtg aagaaatttc aaaaacaaaac tgagtagagg tcttgagcag ctgggttgg 840  
acgcccctcc tcgactcttgc gacatcgta cggcagagaa tcaacggatt cacacctttg 900  
ggtcgagatg agctgatctc gacagatacg tgcttcacca cagctgcagc taccttgcc 960  
caaccattgc gttccaggat ctgtatctac atcaccgcag caccgcggcc aggacggaga 1020  
gaacaatccg gccacagagc agcaccgcct tccaactctg ctccctggcaa cgtcacacaa 1080  
cctgatattt gatatccacc tgggtgattt ccattgcaga gaggtggcag ttggtagatac 1140  
cgactggcca tgcaagacgc ggccgggcta gctgaaatgt ccccgagagg acaattggga 1200  
gcgtctatga cggcggtggag acgacgggaa aggactcagc cgtcatgtt tggttgc当地 1260  
ttgagattgt tgaccggaa agggggggac aagagatgg ctgggtgagg tggtagttgg 1320  
aggatgcattt attcgactca gtgagcgtatg tagagctcca agaatataaa tatcccttct 1380  
ctgtcttctc aaaatctctt tccatcttgc cttcatcag caccagagcc agcctgaaca 1440  
cctccaggatca acttccctta ccagatcatac tgaatcaaca tccattctt gaaatctcac 1500  
cacaaccacc atcttcttca aaatgaagtt ctccggcattc gccgctctt ttgcggccgc 1560  
tgccgttgcc cagcctctcg aggacccgac caacgcaac gcaatgtt gcccctccgg 1620  
cctcttccatc aaccccccagt gctgtgccac ccaagtcctt ggcctcatcg gccttgactg 1680  
caaagtccgt aagttgagcc ataacataag aatcccttgc acggaaatat gccttctcac 1740  
tccttaccc ctgaacagcc tccagaacacg tttacgacgg caccgacttc cgcaacgtct 1800

gcgcacaaac cggcgccccag cctctctgct gcgtggcccc cgttgtaaat ttagcccca 1860  
 gctcaagctc cagtcttgg caaacccatt ctgacaccca gactgcaggc cggccaggct 1920  
 cttctgtgcc agaccggcgt cggtgcttga gatgcccggc cggggtaaag gtgtggccgt 1980  
 gagaaaagccc acaaagtgtt gatgaggacc atttcggta ctgggaaagt tggctccacg 2040  
 tgtttggca gttttggca agttgtgttag atattccatt cgtacggcat tcttattctc 2100  
 caatatttca gtacactttt cttcataaat caaaaagact gctattctt ttgtgacatg 2160  
 ccggaaaggga acaattgctc ttggctctg ttatttgc aaatggatgg gagattcgcc 2220  
 ttagagaaag tagagaagct gtgcttgacc gtgggtgtgac tcgacgagga tggactgaga 2280  
 gtgttaggat taggtcgaac gttgaagtgt atacaggatc gtctggcaac ccacggatcc 2340  
 tatgacttga tgcaatggta aagatgaatg acagtgtaa aggaaaagga aatgtccgccc 2400  
 ttcagctgat atccaccca atgatacagc gatatacctc caatatctgt gggaaacgaga 2460  
 catgacatat ttgtggaaac aacttcaaac agcgagccaa gacctaata tgcacatcca 2520  
 aagccaaaca ttggcaagac gagagacagt cacattgtcg tcgaaagatg gcatcgtaacc 2580  
 caaatcatca gctctcatta tcgcctaaac cacagattgt ttggcgccccc ccaactccaa 2640  
 aacgttacta caaaagacat gggcgaatgc aaagacctga aagcaaacc ttttgcgac 2700  
 tcaattccct cctttgtcct cgaatgtat atccttcacc aagtaaaaaga aaaagaagat 2760  
 tgagataata catgaaaagc acaacggaaa cggaaagacc aggaaaagaa taaatctatc 2820  
 acgcacccctg tcccccacact aaaagcaaca ggggggtaa aatgaaat 2868

<210> 2  
 <211> 3585  
 <212> DNA  
 <213> Trichoderma reesei

<220>  
 <221> gene  
 <222> (1191)...(1593)  
 <223> hfb2

<220>  
 <221> unknown  
 <222> (1917)..(1917)  
 <223> n = a, c, t, g, unknown, or other

<220>  
 <221> unknown  
 <222> (2160)..(2160)  
 <223> n = a, c, t, g, unknown, or other

<220>  
 <221> unknown  
 <222> (3515)..(3515)  
 <223> n = a, c, t, g, unknown, or other

<400> 2  
 ctcgagcagc tgaagcttgc atgcctgcat cctttgttag cgactgcata cattttgcac 60  
 acactgcccgt cgacgtctct ctccgacct tggccagctg gacaaggcaac acaccaatga 120  
 cgctttgtat tattagatgta tatgcaagtc tcaggactat cgactcaact ctacccaccc 180  
 aggacgatcg cggcacgata cggccctcggtt ctcattggcc caagcagacc aactgccccct 240  
 ggagcaagat tcagcccaag ggagatggac ggcaggccac gccaggcccc caccaccaag 300  
 ccactccctt tggccaaatc agcttgcatt tcaagagaca tcgagctgtg ccttggaaatt 360  
 actaacaacc agggatggaa aacgaaggct gctttggaa agacaacaat gagagagaga 420  
 gagagaggaa gagagacaat gagtgcacca aacctggtag tgctccgcca atgcgtctga 480  
 aatgtcacat ccgagtcttgc gggcctctgt gagaatgtcc agagtaatac gtgtttgcg 540  
 aatagtccctc ttcttgagg actggatacc tacgataacc ttttggatt gatgcgggtgc 600  
 ttctcaatgtt gatagaagac gtcttagttaa ctacacaaaaa ggcctataact 660

```
<210> 3
<211> 63
<212> DNA
<213> Artificial Sequence
```

<220>

<223> Description of Artificial Sequence: 5' primer

<400> 3  
actacacgga ggagctcgac gacttcgagc agcccgagct gcacgcagag caacggcaac 60  
ggc 63

<210> 4  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: 3' primer

<400> 4  
tcgtacggat cctcaagcac cgacggcggt 30

<210> 5  
<211> 13  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: linker

<400> 5  
Pro Gly Ala Ser Thr Ser Thr Gly Met Gly Pro Gly Gly  
1 5 10

<210> 6  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: linker

<400> 6  
Gly Thr Leu Val Pro Arg Gly Pro Ala Glu Val Asn Leu Val  
1 5 10

<210> 7  
<211> 48  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: 5' primer

<400> 7  
gaattcggta ccctcggtccc tcgcggtccc gccgaagtga acctggtg 48

```
<210> 8
<211> 34
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: 3'primer

<400> 8
tgaattccat atgctaaccc cgtttcatct ccag 34

<210> 9
<211> 157
<212> PRT
<213> Artificial Sequence

<220>
<223> Hydrophobin protein derived from fungi

<220>
<221> misc_feature
<222> (1)..(38)
<223> Xaa can be any naturally occurring amino acid and at least
      2 and up to 38 amino acids can either be present or absent

<220>
<221> misc_feature
<222> (40)..(48)
<223> Xaa can be any naturally occurring amino acid and at least
      5 and up to 9 amino acids can either be present or absent

<220>
<221> misc_feature
<222> (51)..(89)
<223> Xaa can be any naturally occurring amino acid and at least
      11 and up to 39 amino acids can either be present or absent

<220>
<221> misc_feature
<222> (91)..(113)
<223> Xaa can be any naturally occurring amino acid and at least
      8 and up to 23 amino acids can either be present or absent

<220>
<221> misc_feature
<222> (115)..(123)
<223> Xaa can be any naturally occurring amino acid and at least
      5 and up to 9 amino acids can either be present or absent

<220>
<221> misc_feature
<222> (126)..(143)
<223> Xaa can be any naturally occurring amino acid and at least
      6 and up to 18 amino acids can either be present or absent
```

<220>  
<221> misc\_feature  
<222> (145)..(157)  
<223> Xaa can be any naturally occurring amino acid and at least  
2 and up to 13 amino acids can either be present or absent  
  
<400> 9

Xaa  
1 5 10 15

Xaa  
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa  
35 40 45

Cys Cys Xaa  
50 55 60

Xaa  
65 70 75 80

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa  
85 90 95

Xaa  
100 105 110

Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Cys Xaa Xaa Xaa  
115 120 125

Xaa Cys  
130 135 140

Xaa  
145 150 155